

Segment: 1 UNB Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNB</b>	UNB		
<b>S001</b> M SYNTAX IDENTIFIER			
<b>0001</b> M a4 Syntax identifier	+UNOC		
<b>0002</b> M n1 Syntax version number	:3		
<b>S002</b> M INTERCHANGE SENDER			
<b>0004</b> M an..35 Sender identification	+Testspediteur		Spediteurnummer No transitaire N. spedizioniere
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0008</b> C an..14 Address for reverse routing		N	
<b>S003</b> M INTERCHANGE RECIPIENT			
<b>0010</b> M an..35 Recipient identification	+EZV		
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0014</b> C an..14 Routing address		N	
<b>S004</b> M DATE/TIME OF PREPARATION			
<b>0017</b> M n6 Date of preparation	+001127		Format: YYMMDD
<b>0019</b> M n4 Time of preparation	:1713		Format: HHMM
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+tu0101022		freie Wahl choix libre scelta libera
<b>S005</b> C RECIPIENT'S REFERENCE PASSWORD			
<b>0022</b> M an..14 Recipient's reference/password	+	N	
<b>0025</b> C an2 Recipient's reference/password qualifier		N	
<b>0026</b> C an..14 APPLICATION REFERENCE	+CH802A'		Messagetype
<b>0029</b> C a1 PROCESSING PRIORITY CODE		N	
<b>0031</b> C n1 ACKNOWLEDGEMENT REQUEST		N	
<b>0032</b> C an..35 COMMUNICATIONS AGREEMENT ID		N	
<b>0035</b> C n1 TEST INDICATOR		N	

UNB+UNOC:3+Testspediteur+EZV+001127:1713+tu0101022++CH802A'

Segment: 2 **UNH** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNH</b>	UNH		
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+tu0233		freie Wahl choix libre scelta libera
<b>S009</b> M MESSAGE IDENTIFIER			
<b>0065</b> M an..6 Message type identifier	+CUSDEC		
<b>0052</b> M an..3 Message type version number	:D		
<b>0054</b> M an..3 Message type release number	:96B		
<b>0051</b> M an..2 Controlling agency	:UN'		
<b>0057</b> C an..6 Association assigned code		N	
<b>0068</b> C an..35 COMMON ACCESS REFERENCE		N	
<b>S010</b> C STATUS OF THE TRANSFER			
<b>0070</b> M n..2 Sequence message transfer number		N	
<b>0073</b> C a1 First/last sequence message transfer indication		N	

UNH+tu0233+CUSDEC:D:96B:UN'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
<b>BGM</b>	BGM		
<b>C002</b> C DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>1000</b> C an..35 Document/message name		N	
<b>C106</b> C DOCUMENT/MESSAGE IDENTIFICATION			
<b>1004</b> C an..35 Document/message number	+20020717000 5		Deklarationsnummer Spediteur No déclaration transitaire N. dichiarazione spedizioniere (an..17)
<b>1056</b> C an..9 Version	:1001		Sammelsendungsnummer No groupage No groupage (n..5)
<b>1060</b> C an..6 Revision number	:1		NCTS-Code Code NCTS Codice NCTS (n1)
<b>1225</b> C an..3 MESSAGE FUNCTION, CODED	+11'		Statuscode Code de statut Codice di stato (n2)
<b>4343</b> C an..3 RESPONSE TYPE, CODED		N	

BGM++200207170005:1001:1+11'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+14		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one identification	+Bern GS'		Zugelassener Ort Lieu agréé Luogo autorizzato (an..35)
<b>3223</b> C an..25 Related place/location one identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+14++Bern GS'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+36		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+DE'	N	Bestimmungsland Pays de destination Paese di destinazione (a2)
<b>3225</b> C an..25 Place/location identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+36+DE'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+118		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+CH001251'	N	Dienststellennummer Abgang Bureau de douane de départ Ufficio doganale di partenza (an8)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+118+CH001251'

Segment: 7 **GIS** Max. occ.: 25 Status: C Variant No.: 1  
 Name: General indicator

EDIFACT-Segment	Const.	S	Remarks
<b>GIS</b>	GIS		
<b>C529</b> M PROCESSING INDICATOR			
<b>7365</b> M an..3 Processing indicator, coded	+1		Container (Flag) Container Container (n1)
<b>1131</b> C an..3 Code list qualifier	:109'		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>7187</b> C an..17 Process type identification		N	

GIS+1:109'

Segment: 7 **GIS** Max. occ.: 25 Status: O Variant No.: 1  
 Name: General indicator

EDIFACT-Segment	Const.	S	Remarks
<b>GIS</b>	GIS		
<b>C529</b> M PROCESSING INDICATOR			
<b>7365</b> M an..3 Processing indicator, coded	+1		Sicherheitsindikator (Security) Indicateur de sécurité Indicatore per la sicurezza (n1)
<b>1131</b> C an..3 Code list qualifier	:187'		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>7187</b> C an..17 Process type identification		N	

**GIS+1:187'**



Segment: 8 **FII** Max. occ.: 1 Status: C Variant No.: 1  
 Name: Financial institution information

EDIFACT-Segment	Const.	S	Remarks
<b>FII</b>	FII		
<b>3035</b> M an..3 Party function code qualifier	+XX		
<b>C078</b> C Account holder identification			
<b>3194</b> M an..35 Account holder identifier	+	N	
<b>3192</b> C an..35 Account holder name		N	
<b>3192</b> C an..35 Account holder name		N	
<b>6345</b> C an..3 Currency identification code		N	
<b>C088</b> C Institution identification			
<b>3433</b> M an..11 Institution name code	+	N	
<b>1131</b> C an..17 Code list identification code	:	N	
<b>3055</b> C an..3 Code list responsible agency code	:	N	
<b>3434</b> C an..17 Institution branch identifier	:	N	
<b>1131</b> C an..17 Code list identification code	:	N	
<b>3055</b> C an..3 Code list responsible agency code	:	N	
<b>3432</b> C an..70 Institution name	:	N	
<b>3436</b> C an..70 Institution branch location name	:HKN1022'		Handelskennnummer No d'identification commerciale N. identificazione commerciale (an...70)
<b>3207</b> C an..3 Country identifier		N	

**FII+XX++:.....:HKN1022"**

Segment: 9    **MEA**    Max. occ.: 5    Status: C    Variant No.: 1  
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
<b>MEA</b>	MEA		
<b>6311</b> M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
<b>C502</b> C MEASUREMENT DETAILS			
<b>6313</b> C an..3 Measurement dimension, coded	+AAD		
<b>6321</b> C an..3 Measurement significance, coded		N	
<b>6155</b> C an..17 Measurement attribute identification		N	
<b>6154</b> C an..70 Measurement attribute		N	
<b>C174</b> C VALUE/RANGE			
<b>6411</b> M an..3 Measure unit qualifier	+KGM		
<b>6314</b> C an..18 Measurement value	:1000'		Gesamtrohmasse Masse brute totale Massa lorda totale (n..11,3)
<b>6162</b> C n..18 Range minimum		N	
<b>6152</b> C n..18 Range maximum		N	
<b>6432</b> C n..2 Significant digits		N	
<b>7383</b> C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAD+KGM:1000'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+AAQ		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+CMBU100100 1		Container Nummer No container N. container (an..11)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+AAQ++CMBU1001001'

Segment: 12    **FTX**    Max. occ.: 99    Status: C    Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+ACB		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+	N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED	+DE'		Sprachencode Abgang Code de langue départ Codice di lingua partenza (a2)

FTX+ACB++++DE'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+ABO		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+0'		Korrekturcode Code de correction Codice di correzione (n1)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+ABO++0'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M REFERENCE			
<b>1153</b> M an..3 Reference qualifier	+AHP		
<b>1154</b> C an..35 Reference number	:9999999		Mehrwertsteuernummer No TVA No IVA (an..12)
<b>1156</b> C an..6 Line number	:	N	
<b>4000</b> C an..35 Reference version number	:1'	N	Mehrwertsteuer Code Code TVA Codice IVA (n1)

RFF+AHP:9999999::1'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+ABE		
Reference qualifier			
<b>1154</b> C an..35	:Dossier1'		Dossiernummer Spediteur
Reference number			No de dossier transitaire
			N. d'incarto spedizioniere (an..22)
<b>1156</b> C an..6		N	
Line number			
<b>4000</b> C an..35		N	
Reference version number			

RFF+ABE:Dossier1'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+ACW		
Reference qualifier			
<b>1154</b> C an..35	:Zeichen		Zeichen (Nummer) Vorpapier
Reference number	Vorpapier'		Numérotation des doc. précédents
<b>1156</b> C an..6		N	Doc. precedente no. (an..20)
Line number			
<b>4000</b> C an..35		N	
Reference version number			

*RFF+ACW:ZeichenVorpapier'*



Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M REFERENCE			
<b>1153</b> M an..3 Reference qualifier	+AMJ		
<b>1154</b> C an..35 Reference number	:C'		Kennnummer für besondere Umstände Identificateur pour circonstances particulières Identificatore per circostanze particolari (a1)
<b>1156</b> C an..6 Line number		N	
<b>4000</b> C an..35 Reference version number		N	

RFF+AMJ:C'

Segment group: **SG4** Max. occ.: 5 Status: C Variant No.: 1  
 TDT-TPL  
 Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
<b>TDT</b>	TDT		
<b>8051</b> M an..3 TRANSPORT STAGE QUALIFIER	+1		
<b>8028</b> C an..17 CONVEYANCE REFERENCE NUMBER	+	N	
<b>C220</b> C MODE OF TRANSPORT			
<b>8067</b> C an..3 Mode of transport, coded	+30		Verkehrszweig Mode de transport Modo di trasporto (n2)
<b>8066</b> C an..17 Mode of transport	:0'		Richtigcode Verkehrszweig Code de confirmation mode de transport Codice conferma modo di trasporto (n1)
<b>C228</b> C TRANSPORT MEANS			
<b>8179</b> C an..8 Type of means of transport identification		N	
<b>8178</b> C an..17 Type of means of transport		N	
<b>C040</b> C CARRIER			
<b>3127</b> C an..17 Carrier identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3128</b> C an..35 Carrier name		N	
<b>8101</b> C an..3 TRANSIT DIRECTION, CODED		N	
<b>C401</b> C EXCESS TRANSPORTATION INFORMATION			
<b>8457</b> M an..3 Excess transportation reason, coded		N	
<b>8459</b> M an..3 Excess transportation responsibility, coded		N	
<b>7130</b> C an..17 Customer authorization number		N	
<b>C222</b> C TRANSPORT IDENTIFICATION			
<b>8213</b> C an..9 Id. of means of transport identification		N	
<b>1131</b> C an..3 Code list qualifier		N	

Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>8212</b> C an..35 Id. of the means of transport			
<b>8453</b> C an..3 Nationality of means of transport, coded			
<b>8281</b> C an..3 TRANSPORT OWNERSHIP, CODED		N	

**TDT+1++30:0'**

Segment group: **SG4** Max. occ.: 5 Status: C Variant No.: 1  
 TDT-TPL  
 Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
<b>TDT</b>	TDT		
<b>8051</b> M an..3 TRANSPORT STAGE QUALIFIER	+11		
<b>8028</b> C an..17 CONVEYANCE REFERENCE NUMBER	+	N	
<b>C220</b> C MODE OF TRANSPORT			
<b>8067</b> C an..3 Mode of transport, coded	+3'		Verkehrszweig an Grenze Mode de transport à la frontière Modo di trasporto alla confina (n..2)
<b>8066</b> C an..17 Mode of transport			
<b>C228</b> C TRANSPORT MEANS			
<b>8179</b> C an..8 Type of means of transport identification		N	
<b>8178</b> C an..17 Type of means of transport		N	
<b>C040</b> C CARRIER			
<b>3127</b> C an..17 Carrier identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3128</b> C an..35 Carrier name		N	
<b>8101</b> C an..3 TRANSIT DIRECTION, CODED		N	
<b>C401</b> C EXCESS TRANSPORTATION INFORMATION			
<b>8457</b> M an..3 Excess transportation reason, coded		N	
<b>8459</b> M an..3 Excess transportation responsibility, coded		N	
<b>7130</b> C an..17 Customer authorization number		N	
<b>C222</b> C TRANSPORT IDENTIFICATION			
<b>8213</b> C an..9 Id. of means of transport identification		N	
<b>1131</b> C an..3 Code list qualifier		N	

Segment: 18 TDT Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>8212</b> C an..35 Id. of the means of transport			
<b>8453</b> C an..3 Nationality of means of transport, coded			
<b>8281</b> C an..3 TRANSPORT OWNERSHIP, CODED		N	

**TDT+11++3'**

Segment group: **SG4** Max. occ.: 5 Status: C Variant No.: 1  
 TDT-TPL  
 Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
<b>TDT</b>	TDT		
<b>8051</b> M an..3 TRANSPORT STAGE QUALIFIER	+12		
<b>8028</b> C an..17 CONVEYANCE REFERENCE NUMBER	+	N	
<b>C220</b> C MODE OF TRANSPORT			
<b>8067</b> C an..3 Mode of transport, coded	+	N	
<b>8066</b> C an..17 Mode of transport		N	
<b>C228</b> C TRANSPORT MEANS			
<b>8179</b> C an..8 Type of means of transport identification	+	N	
<b>8178</b> C an..17 Type of means of transport		N	
<b>C040</b> C CARRIER			
<b>3127</b> C an..17 Carrier identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3128</b> C an..35 Carrier name		N	
<b>8101</b> C an..3 TRANSIT DIRECTION, CODED	+	N	
<b>C401</b> C EXCESS TRANSPORTATION INFORMATION			
<b>8457</b> M an..3 Excess transportation reason, coded	+	N	
<b>8459</b> M an..3 Excess transportation responsibility, coded		N	
<b>7130</b> C an..17 Customer authorization number		N	
<b>C222</b> C TRANSPORT IDENTIFICATION			
<b>8213</b> C an..9 Id. of means of transport identification	+	N	
<b>1131</b> C an..3 Code list qualifier	:	N	

Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>8212</b> C an..35 Id. of the means of transport	:BL 123456		Kennzeichen Beförderungsmittel Identité du moyen de transport Identità mezzo di trasporto (an..27)
<b>8453</b> C an..3 Nationality of means of transport, coded	:CH'		Beförderungsmittelstaat Nationalité du moyen de transport Nationalità del mezzo di trasporto (a2)
<b>8281</b> C an..3 TRANSPORT OWNERSHIP, CODED		N	

TDT+12+++++:::BL 123456:CH'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+CZ		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+CH34567890 1234	N	TIN (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+	N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+JollyJumping		Name der Versender/Ausführer Nom de l'expéditeur/exportateur Nome emittente (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)



Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
<b>3251</b> C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
<b>3207</b> C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

NAD+CZ+CH345678901234++JollyJuming+Daltstr. 23+Bern++3000+CH'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+FW		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+Testspediteur		Spediteurnummer No transitaire N. spedizioniere (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+1		ZV-Code Code Ea Codice SA (n1)
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+Spediteurname		Name Nom Nome (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Weltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3164</b> C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)
<b>3229</b> C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
<b>3251</b> C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
<b>3207</b> C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

*NAD+FW+Teststpediteur+1+Spediteurname+Welttstr. 23+Bern++3000+CH'*

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+DT		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+1'		Deklarantennummer No déclarant N. dichiarante (n..3)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+DT+1'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+GL		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+CH345678901 234	N	Sender – Security TIN Expéditeur – Security TIN Mittente – Security TIN (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+	N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+JollyJumper		Name der Versender – Security Nom de l'expéditeur – Security Nome del mittente – Security (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)

Segment: 23 NAD Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
3251 C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
3207 C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

NAD+GL+CH345678901234++JollyJumper+Daltstr. 23+Bern++3000+CH'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+UC		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+DE345678901 234	N	Empfänger – Security TIN Destinataire – Security TIN Destinatario – Security TIN (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+	N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+Ylloj		Name der Empfänger – Security Nom du destinataire – Security Nome del destinatario – Security (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Tladstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME	+Nerb		Stadt (Ort) Lieu Città (an..35)



Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
<b>3251</b> C an..9 POSTCODE IDENTIFICATION	+30003		PLZ NP NP (an..9)
<b>3207</b> C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

NAD+UC+DE345678901234++Ylloj+Taldstr. 23+Nerb++30003+DE'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+CN		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+		Kennnummer Empfänger (TIN) No destinataire N. destinatario (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+	N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+Jolly		Name – Nom – Nome (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
<b>3251</b> C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
<b>3207</b> C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

*NAD+CN+++Jollyr+Daltstr. 23+Bern++3000+CH'*

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+COT		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+		Kennnummer Zuladeort (TIN) No transporteur secondaire (TIN) N. (TIN) (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line	+	N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name	+Chaully		Name – Nom – Nome (an..35)
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box	+Chaltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+	N	
<b>3251</b> C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
<b>3207</b> C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

*NAD+COT+++Chaullyr+Chaltstr. 23+Bern++3000+CH'*

Segment group: SG8 Max. occ.: 1 Status: C Variant No.: 1  
 MOA

Segment: 30 MOA Max. occ.: 1 Status: M Variant No.: 1  
 Name: MONETARY AMOUNT

EDIFACT-Segment	Const.		Remarks
MOA	MOA	S	
C516 M MONETARY AMOUNT			
5025 M an..3 Monetary amount type code qualifier	+11		n1
5004 C n..35 Monetary amount	:		
6345 C an..3 Currency identification code	:1	N	
6343 C an..3 Currency type code qualifier			
4405 C an..3 Status description code			

MOA+11::1'

Segment: 33 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M a1 SECTION IDENTIFICATION	UNS +D'		

UNS+D'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 93 **CST** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Customs status of goods

EDIFACT-Segment	Const.	S	Remarks
<b>CST</b>	CST		
<b>1496</b> C n..5 GOODS ITEM NUMBER	+1		Positionsnummer (n..5)
<b>C246</b> C CUSTOMS IDENTITY CODES			
<b>7361</b> M an..18 Customs code identification	+85365051		Warennummer (Tarif-Nr) No. de tarif Voce doganale (n..8)
<b>1131</b> C an..3 Code list qualifier	:169		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES			
<b>7361</b> M an..18 Customs code identification	+1		Bewilligungspflichtcode Code d'assujettissement au permis Codice assoggettamento permesso (n1)
<b>1131</b> C an..3 Code list qualifier	:147		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES			
<b>7361</b> M an..18 Customs code identification	+1		Handelswarencode Code de marchandise de commerce Codice merce commerciabile (n1)
<b>1131</b> C an..3 Code list qualifier	:117		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES			
<b>7361</b> M an..18 Customs code identification	+410		Schlüssel Clef No conv. (an3)
<b>1131</b> C an..3 Code list qualifier	:54		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES			
<b>7361</b> M an..18 Customs code identification	+1		NZE-Pflichtcode Code assujettissement-LOAD Codice assoggettameleggi accessorie (n1)
<b>1131</b> C an..3 Code list qualifier	:118'		
<b>3055</b> C an..3 Code list responsible agency, coded		N	

CST+1+85365051:169+1:147+1:117+410:54+1:118'



Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+AAA		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier			
<b>3055</b> C an..3 Code list responsible agency, coded			
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+Andere elektrische oder elektronische Schalter im Stückgew. von mehr al		Warenbezeichnung Désignation des marchandises Designazione merce (Total an..140)
<b>4440</b> C an..70 Free text	:s 3 Kilogramm'		(an..70)
<b>4440</b> C an..70 Free text		N	... (an..70)
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+AAA+++ Andere elektrische oder elektronische Schalter im Stückgew. von mehr al:s 3 Kilogramm'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1  
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
<b>MEA</b>	MEA		
<b>6311</b> M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
<b>C502</b> C MEASUREMENT DETAILS			
<b>6313</b> C an..3 Measurement dimension, coded	+AAB		
<b>6321</b> C an..3 Measurement significance, coded		N	
<b>6155</b> C an..17 Measurement attribute identification		N	
<b>6154</b> C an..70 Measurement attribute		N	
<b>C174</b> C VALUE/RANGE			
<b>6411</b> M an..3 Measure unit qualifier	+KGM		
<b>6314</b> C an..18 Measurement value	:1000'		Rohmasse Masse brute Massa lorda (n..11,3)
<b>6162</b> C n..18 Range minimum		N	
<b>6152</b> C n..18 Range maximum		N	
<b>6432</b> C n..2 Significant digits		N	
<b>7383</b> C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAB+KGM:1000'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1  
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
<b>MEA</b>	MEA		
<b>6311</b> M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
<b>C502</b> C MEASUREMENT DETAILS			
<b>6313</b> C an..3 Measurement dimension, coded	+AAA		
<b>6321</b> C an..3 Measurement significance, coded		N	
<b>6155</b> C an..17 Measurement attribute identification		N	
<b>6154</b> C an..70 Measurement attribute		N	
<b>C174</b> C VALUE/RANGE			
<b>6411</b> M an..3 Measure unit qualifier	+KGM		
<b>6314</b> C an..18 Measurement value	:750		Eigenmasse Masse nette Massa netta (n..11,3)
<b>6162</b> C n..18 Range minimum	:	N	
<b>6152</b> C n..18 Range maximum	:	N	
<b>6432</b> C n..2 Significant digits	:0'		Richtigcode Eigenmasse Code de confirmation masse nette Codice conferma massa netta (n1)
<b>7383</b> C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAA+KGM:750:::0'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1  
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
<b>MEA</b>	MEA		
<b>6311</b> M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
<b>C502</b> C MEASUREMENT DETAILS			
<b>6313</b> C an..3 Measurement dimension, coded	+ACB		
<b>6321</b> C an..3 Measurement significance, coded		N	
<b>6155</b> C an..17 Measurement attribute identification		N	
<b>6154</b> C an..70 Measurement attribute		N	
<b>C174</b> C VALUE/RANGE			
<b>6411</b> M an..3 Measure unit qualifier	+KGM		
<b>6314</b> C an..18 Measurement value	:150		Zusatzmenge Quantité supplement. Quantità supplement. (n..9,1)
<b>6162</b> C n..18 Range minimum	:	N	
<b>6152</b> C n..18 Range maximum	:	N	
<b>6432</b> C n..2 Significant digits	:0'		Richtigcode Zusatzmenge Code de confirmation quantité supplement. Codice conferma quantità supplement. (n1)
<b>7383</b> C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+ACB+KGM:150:::0'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 99 **TDT** Max. occ.: 9 Status: C Variant No.: 1  
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
<b>TDT</b>	TDT		
<b>8051</b> M an..3 TRANSPORT STAGE QUALIFIER	+10		
<b>8028</b> C an..17 Means of transport journey identifier	+		
<b>C220</b> C MODE OF TRANSPORT			
<b>8067</b> C an..3 Transport mode name, coded	+		
<b>8066</b> C an..17 Transport mode name			
<b>C228</b> C TRANSPORT MEANS			
<b>8179</b> C an..8 Type of means of transport identification	+		
<b>8178</b> C an..17 Description of means of transport			
<b>C040</b> C CARRIER			
<b>3127</b> C an..17 Carrier identification	+		
<b>1131</b> C an..17 Code list qualifier			
<b>3055</b> C an..3 Code list responsible agency, coded			
<b>3128</b> C an..35 Carrier name			
<b>8101</b> C an..3 TRANSIT DIRECTION, CODED	+		
<b>C401</b> C EXCESS TRANSPORTATION INFORMATION			
<b>8457</b> M an..3 Excess transportation reason, coded	+		
<b>8459</b> M an..3 Excess transportation responsibility, coded			
<b>7130</b> C an..17 Customer authorization number			
<b>C222</b> C TRANSPORT IDENTIFICATION			
<b>8213</b> C an..9 Id. of means of transport identification	+1234'		UN Gefahren-Code Code ONU des marchandises dangereuses Codice ONU delle merci pericolose (an..4)
<b>1131</b> C an..3 Code list qualifier			

Segment: 99 **TDT** Max. occ.: 9 Status: C Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3055</b> C an..3 Code list responsible agency, coded <b>8212</b> C an..70 Id. of the means of transport <b>8453</b> C an..3 Nationality of means of transport, coded <b>8281</b> C an..3 TRANSPORT OWNERSHIP, CODED			

TDT+10+++++++1234'

Segment group: **SG31** Max. occ.: 10 Status: C Variant No.: 1  
 PAC-SG32  
 Segment: 100 **PAC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package

EDIFACT-Segment	Const.	S	Remarks
<b>PAC</b> <b>7224</b> C n..8 NUMBER OF PACKAGES	PAC +75		Anzahl Packstücke Nombre de colis Numero dei colli (n..5)
<b>C531</b> C PACKAGING DETAILS			
<b>7075</b> C an..3 Packaging level, coded	+	N	
<b>7233</b> C an..3 Packaging related information, coded		N	
<b>7073</b> C an..3 Packaging terms and conditions, coded		N	
<b>C202</b> C PACKAGE TYPE			
<b>7065</b> C an..17 Type of packages identification	+CT		Verpackungscode Code d'emballage Codice d'imballaggio (an..3)
<b>1131</b> C an..3 Code list qualifier	:6'		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>7064</b> C an..35 Type of packages			Stückzahl Nombre de pièces No. pezzi (n..5)
<b>C402</b> C PACKAGE TYPE IDENTIFICATION			
<b>7077</b> M an..3 Item description type, coded		N	
<b>7064</b> M an..35 Type of packages		N	
<b>7143</b> C an..3 Item number type, coded		N	
<b>7064</b> C an..35 Type of packages		N	
<b>7143</b> C an..3 Item number type, coded		N	
<b>C532</b> C RETURNABLE PACKAGE DETAILS			
<b>8395</b> C an..3 Returnable package freight payment responsibility, coded		N	
<b>8393</b> C an..3 Returnable package load contents, coded		N	

PAC+75++CT:6'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b>	PCI		
<b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED	+28		
<b>C210</b> C MARKS & LABELS			
<b>7102</b> M an..35 Shipping marks	+Zeichen (Nummer) Packstuecke 12345		Zeichen (Nummer) Packstücke No emballage (Total an..42) Imballaggio no. (an..35)
<b>7102</b> C an..35 Shipping marks	:ABCDEFG'		Zeichen (Nummer) Packstücke No emballage Imballaggio no. (an..7)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
<b>C827</b> C TYPE OF MARKING		N	
<b>7511</b> M an..3 Type of marking, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+28+Zeichen (Nummer) Packstuecke 12345:ABCDEFG'



Segment group: **SG31** Max. occ.: 9 Status: C Variant No.: 1  
 PAC-SG32  
 Segment: 100 **PAC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package

EDIFACT-Segment	Const.	S	Remarks
<b>PAC</b>	PAC		
<b>7224</b> C n..8 NUMBER OF PACKAGES	+		
<b>C531</b> C PACKAGING DETAILS			
<b>7075</b> C an..3 Packaging level, coded	+11	N	Bewilligungstyp Type de permis Tipo di permesso (an2)
<b>7233</b> C an..3 Packaging related information, coded	:11	N	Bewilligungsstellencode Code de l'office émetteur de permis Codice dell'ufficio emittente dei permessi (an3)
<b>7073</b> C an..3 Packaging terms and conditions, coded		N	
<b>C202</b> C PACKAGE TYPE			
<b>7065</b> C an..17 Type of packages identification	+20140606		Bewilligungsdatum Date du permis Data del permesso (n8)
<b>1131</b> C an..3 Code list qualifier	:810		
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>7064</b> C an..35 Type of packages	:BE6757'		Bewilligungsnummer Numéro du permis Numero del permesso (an...17)
<b>C402</b> C PACKAGE TYPE IDENTIFICATION			
<b>7077</b> M an..3 Item description type, coded		N	
<b>7064</b> M an..35 Type of packages		N	
<b>7143</b> C an..3 Item number type, coded		N	
<b>7064</b> C an..35 Type of packages		N	
<b>7143</b> C an..3 Item number type, coded		N	
<b>C532</b> C RETURNABLE PACKAGE DETAILS			

<b>8395</b> C an..3 Returnable package freight payment responsibility, coded		N	
<b>8393</b> C an..3 Returnable package load contents, coded		N	

PAC++11:11+20140606:810::BE6757'

Segment group: **SG32** Max. occ.: 9 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b> <b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED <b>C210</b> C MARKS & LABELS <b>7102</b> M an..35 Shipping marks	PCI +810  + Vermerke 12345		Bewilligungsvermerke Remarques de permis Indicazioni del permesso  (Total an..70) (an..35)
<b>7102</b> C an..35 Shipping marks	:ABCDEFGF'		Bewilligungsvermerke Remarques de permis Indicazione del permesso  (an..35)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
<b>C827</b> C TYPE OF MARKING		N	
<b>7511</b> M an..3 Type of marking, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+810+Vermerke 12345:ABCDEFGF'

Segment group: **SG32** Max. occ.: 99 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b> <b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED <b>C210</b> C MARKS & LABELS <b>7102</b> M an..35 Shipping marks	PCI +10  +1234		
<b>7102</b> C an..35 Shipping marks	:Wert Bewilligung		Bewilligung Detail (Key) Détail du permis (clé) Dettaglio del permesso (chiave) (n..4) Wert (Value) Valeur Valore  (Total an..50) (an..35)
<b>7102</b> C an..35 Shipping marks	: 5690'	N	Wert (Value) Valeur Valore  (an..15)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED <b>C827</b> C TYPE OF MARKING <b>7511</b> M an..3 Type of marking, coded <b>1131</b> C an..3 Code list qualifier <b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+10+1234:Wert Bewilligung:5690'

Segment group: **SG33** Max. occ.: 25 Status: C Variant No.: 1  
 MOA-SG34  
 Segment: 103 **MOA** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Monetary amount

EDIFACT-Segment	Const.	S	Remarks
<b>MOA</b>	MOA		
<b>C516</b> M			
MONETARY AMOUNT			
<b>5025</b> M an..3	+123		
Monetary amount type qualifier			
<b>5004</b> C n..18	:10000		Statistischer
Monetary amount			Valeur statistique
			Valore statistica (n..9)
<b>6345</b> C an..3	:	N	
Currency, coded			
<b>6343</b> C an..3	:	N	
Currency qualifier			
<b>4405</b> C an..3	:1'		Richtigcode Wert
Status, coded			Code de confirmation valeur
			Codice conferma valore (n1)

MOA+123:10000:::1'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1  
 DOC-DTM-LOC-NAD  
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
<b>DOC</b>	DOC		
<b>C002</b> M			
DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3	+810		
Document/message name, coded			
<b>1131</b> C an..3		N	
Code list qualifier			
<b>3055</b> C an..3		N	
Code list responsible agency, coded			
<b>1000</b> C an..35		N	
Document/message name			
<b>C503</b> C			
DOCUMENT/MESSAGE DETAILS			
<b>1004</b> C an..35	+1004000		Bewilligungsnummer No. permis No permesso (an..17)
Document/message number			
<b>1373</b> C an..3	:	N	
Document/message status, coded			
<b>1366</b> C an..35	:Ver1		Bewilligungsvermerk Observations permis Osservationi permesso (an..4)
Document/message source			
<b>3453</b> C an..3		N	
Language, coded			
<b>3153</b> C an..3	+09'		Bewilligungsstellencode Code des offices émetteurs de permis Codice uffici emittenti permessi (an3)
COMMUNICATION CHANNEL IDENTIFIER, CODED			
<b>1220</b> C n..2		N	
NUMBER OF COPIES OF DOCUMENT REQUIRED			
<b>1218</b> C n..2		N	
NUMBER OF ORIGINALS OF DOCUMENT REQUIRED			

DOC+810+1004000::Ver1+09'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1  
 DOC-DTM-LOC-NAD  
 Segment: 113 **DTM** Max. occ.: 2 Status: C Variant No.: 1  
 Name: Date/time/period

EDIFACT-Segment	Const.	S	Remarks
<b>DTM</b>	DTM		
<b>C507</b> M			
DATE/TIME/PERIOD			
<b>2005</b> M an..3	+36		
Date/time/period qualifier			
<b>2380</b> C an..35	:20020528		Bewilligungsdatum
Date/time/period			Date permis
<b>2379</b> C an..3	:102'		Data permesso (n8)
Date/time/period format qualifier			

DTM+36:20020528:102'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1  
 DOC-DTM-LOC-NAD  
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
<b>DOC</b>	DOC		
<b>C002</b> M DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+840		
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>1000</b> C an..35 Document/message name		N	
<b>C503</b> C DOCUMENT/MESSAGE DETAILS			
<b>1004</b> C an..35 Document/message number	+68'		NZE-Artencode Code des genres LOAD Codice genere leggi accessori (n3)
<b>1373</b> C an..3 Document/message status, coded		N	
<b>1366</b> C an..35 Document/message source		N	
<b>3453</b> C an..3 Language, coded		N	
<b>3153</b> C an..3 COMMUNICATION CHANNEL IDENTIFIER, CODED		N	
<b>1220</b> C n..2 NUMBER OF COPIES OF DOCUMENT REQUIRED		N	
<b>1218</b> C n..2 NUMBER OF ORIGINALS OF DOCUMENT REQUIRED		N	

DOC+840+068'



Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1  
 DOC-DTM-LOC-NAD  
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
<b>DOC</b>	DOC		
<b>C002</b> M DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+895		
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>1000</b> C an..35 Document/message name		N	
<b>C503</b> C DOCUMENT/MESSAGE DETAILS			
<b>1004</b> C an..35 Document/message number	+AF'		Meldestellencode ( <b>inaktiv</b> ) Code annonces Codice notifiche (an2)
<b>1373</b> C an..3 Document/message status, coded		N	
<b>1366</b> C an..35 Document/message source		N	
<b>3453</b> C an..3 Language, coded		N	
<b>3153</b> C an..3 COMMUNICATION CHANNEL IDENTIFIER, CODED		N	
<b>1220</b> C n..2 NUMBER OF COPIES OF DOCUMENT REQUIRED		N	
<b>1218</b> C n..2 NUMBER OF ORIGINALS OF DOCUMENT REQUIRED		N	

DOC+895+AF'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1  
 DOC-DTM-LOC-NAD  
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
<b>DOC</b>	DOC		
<b>C002</b> M DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+916		
<b>1131</b> C an..3 Code list qualifier	:	N	
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>1000</b> C an..35 Document/message name	:271		Art Unterlage-Code Genre de code de documents Genere codice documenti (an..4)
<b>C503</b> C DOCUMENT/MESSAGE DETAILS			
<b>1004</b> C an..35 Document/message number	+Zeichen und Nummer		Zeichen (Nummer) Unterlage Numérotation des dossiers Documento no. (an..35)
<b>1373</b> C an..3 Document/message status, coded	:	N	
<b>1366</b> C an..35 Document/message source	:Zusaetzliche Angaben'		Zusätzliche Angaben Indications supplémentaires Indicazioni supplementari (an..26)
<b>3453</b> C an..3 Language, coded		N	
<b>3153</b> C an..3 COMMUNICATION CHANNEL IDENTIFIER, CODED		N	
<b>1220</b> C n..2 NUMBER OF COPIES OF DOCUMENT REQUIRED		N	
<b>1218</b> C n..2 NUMBER OF ORIGINALS OF DOCUMENT REQUIRED		N	

DOC+916:::271+Zeichen und Nummer::Zusaetzliche Angaben'

Segment group: **SG38** Max. occ.: 1 Status: C Variant No.: 1  
 TOD-LOC-FTX  
 Segment: 116 **TOD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Terms of delivery or transport

EDIFACT-Segment	Const.	S	Remarks
<b>TOD</b>	TOD		
<b>4055</b> C an..3 TERMS OF DELIVERY OR TRANSPORT FUNCTION, CODED	+2'		
<b>4215</b> C an..3 TRANSPORT CHARGES METHOD OF PAYMENT, CODED		N	
<b>C100</b> C TERMS OF DELIVERY OR TRANSPORT			
<b>4053</b> C an..3 Terms of delivery or transport, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>4052</b> C an..70 Terms of delivery or transport		N	
<b>4052</b> C an..70 Terms of delivery or transport		N	

TOD+2'

Segment group: **SG38** Max. occ.: 1 Status: C Variant No.: 1  
 TOD-LOC-FTX  
 Segment: 118 **FTX** Max. occ.: 1 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+ACB		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+besondere Vermerke'		Besondere Vermerke Mentions spéciales Menzioni speciali (an..70)
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+ACB+++besondere Vermerke'

Segment group: **SG41** Max. occ.: 10 Status: C Variant No.: 1  
 TAX-MOA-GIS  
 Segment: 125 **TAX** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Duty/tax/fee details

EDIFACT-Segment	Const.	S	Remarks
<b>TAX</b>	TAX		
<b>5283</b> M an..3 DUTY/TAX/FEE FUNCTION QUALIFIER	+9		
<b>C241</b> C DUTY/TAX/FEE TYPE			
<b>5153</b> C an..3 Duty/tax/fee type, coded	+	N	
<b>1131</b> C an..3 Code list qualifier	:110		
<b>3055</b> C an..3 Code list responsible agency, coded	:		
<b>5152</b> C an..35 Duty/tax/fee type	:21'		Abfertigungscode Code de dédouanement Codice di sdoganamento (n2)
<b>C533</b> C DUTY/TAX/FEE ACCOUNT DETAIL			
<b>5289</b> M an..6 Duty/tax/fee account identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>5286</b> C an..15 DUTY/TAX/FEE ASSESSMENT BASIS		N	
<b>C243</b> C DUTY/TAX/FEE DETAIL			
<b>5279</b> C an..7 Duty/tax/fee rate identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>5278</b> C an..17 Duty/tax/fee rate		N	
<b>5273</b> C an..12 Duty/tax/fee rate basis identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>5305</b> C an..3 DUTY/TAX/FEE CATEGORY, CODED		N	

Segment: 125 **TAX** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3446</b> C an..20 PARTY TAX IDENTIFICATION NUMBER		N	

TAX+9+:110::21'

Segment group: **SG44** Max. occ.: 50 Status: C Variant No.: 1  
 GIR-GIS-NAD-MEA-SG45-SG47-SG48  
 Segment: 132 **GIR** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Related identification numbers

EDIFACT-Segment	Const.	S	Remarks
<b>GIR</b>	GIR		
<b>7297</b> M an..3 SET IDENTIFICATION QUALIFIER	+3		
<b>C206</b> M IDENTIFICATION NUMBER			
<b>7402</b> M an..35 Identity number	+50.245		Empfindliche Menge Quantité sensible Quantità sensibile (n..11,3)
<b>7405</b> C an..3 Identity number qualifier		N	
<b>4405</b> C an..3 Status, coded		N	
<b>C206</b> C IDENTIFICATION NUMBER			
<b>7402</b> M an..35 Identity number	+1'		Empfindliche Waren-Code Code marchandises sensibles Codice merci sensibile (n..2)
<b>7405</b> C an..3 Identity number qualifier		N	
<b>4405</b> C an..3 Status, coded		N	
<b>C206</b> C IDENTIFICATION NUMBER			
<b>7402</b> M an..35 Identity number		N	
<b>7405</b> C an..3 Identity number qualifier		N	
<b>4405</b> C an..3 Status, coded		N	
<b>C206</b> C IDENTIFICATION NUMBER			
<b>7402</b> M an..35 Identity number		N	
<b>7405</b> C an..3 Identity number qualifier		N	
<b>4405</b> C an..3 Status, coded		N	
<b>C206</b> C IDENTIFICATION NUMBER			
<b>7402</b> M an..35 Identity number		N	
<b>7405</b> C an..3 Identity number qualifier		N	
<b>4405</b> C an..3 Status, coded		N	

GIR+3+50.245+1'

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M a1 SECTION IDENTIFICATION	UNS +S'		

UNS+S'



Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNT</b> <b>0074</b> M n..6 NUMBER OF SEGMENTS IN A MESSAGE	UNT +28		
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+ tu0233'		= UNH 0062

*UNT+38+tu0233'*

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNZ</b> <b>0036</b> M n..6 INTERCHANGE CONTROL COUNT <b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	UNZ +1  + tu0101022'		= UNB 0020

UNZ+1+tu0101022'