

Segment: 1 **UNB** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNB</b>	UNB		
<b>S001</b> M SYNTAX IDENTIFIER			
<b>0001</b> M a4 Syntax identifier	+UNOC		
<b>0002</b> M n1 Syntax version number	:3		
<b>S002</b> M INTERCHANGE SENDER			
<b>0004</b> M an..35 Sender identification	+820		Spediteurnummer No transitare N. spedizioniere (an..17)
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0008</b> C an..14 Address for reverse routing		N	
<b>S003</b> M INTERCHANGE RECIPIENT			
<b>0010</b> M an..35 Recipient identification	+EZV		
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0014</b> C an..14 Routing address		N	
<b>S004</b> M DATE/TIME OF PREPARATION			
<b>0017</b> M n6 Date of preparation	+060127		Format: YYMMDD
<b>0019</b> M n4 Time of preparation	:1713		Format: HHMM
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+ch805a00000 001		freie Wahl choix libre scelta libera
<b>S005</b> C RECIPIENT'S REFERENCE PASSWORD			
<b>0022</b> M an..14 Recipient's reference/password	+	N	
<b>0025</b> C an2 Recipient's reference/password qualifier		N	
<b>0026</b> C an..14 APPLICATION REFERENCE	+CH805A'		Message type
<b>0029</b> C a1 PROCESSING PRIORITY CODE		N	
<b>0031</b> C n1 ACKNOWLEDGEMENT REQUEST		N	
<b>0032</b> C an..35 COMMUNICATIONS AGREEMENT ID		N	
<b>0035</b> C n1 TEST INDICATOR		N	

UNB+UNOC:3+820+EZV+060127:1713+ ch805a00000001++CH805A'

Segment: 2 **UNH** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNH</b> <b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	UNH +ch805a00000 001		freie Wahl choix libre scelta libera
<b>S009</b> M MESSAGE IDENTIFIER			
<b>0065</b> M an..6 Message type identifier	+CUSDEC		
<b>0052</b> M an..3 Message type version number	:D		
<b>0054</b> M an..3 Message type release number	:96B		
<b>0051</b> M an..2 Controlling agency	:UN		
<b>0057</b> C an..6 Association assigned code	:CH805A'		Messagetype
<b>0068</b> C an..35 COMMON ACCESS REFERENCE		N	
<b>S010</b> C STATUS OF THE TRANSFER			
<b>0070</b> M n..2 Sequence message transfer number		N	
<b>0073</b> C a1 First/last sequence message transfer indication		N	

UNH+ ch805a00000001+CUSDEC:D:96B:UN :CH805A'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
<b>BGM</b>	BGM		
<b>C002</b> C DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>1000</b> C an..35 Document/message name		N	
<b>C106</b> C DOCUMENT/MESSAGE IDENTIFICATION			
<b>1004</b> C an..35 Document/message number	+DekINrSped0128		Deklarationsnummer Spediteur No déclaration transitaire N. dichiarazione spedizioniere (an..17)
<b>1056</b> C an..9 Version	:	N	
<b>1060</b> C an..6 Revision number	:DAA		Anmeldecode Anmeldecode Anmeldecode (an..5)
<b>1225</b> C an..3 MESSAGE FUNCTION, CODED	+	N	
<b>4343</b> C an..3 RESPONSE TYPE, CODED	+0'		Korrekturcode Korrekturcode Korrekturcode (n1)

BGM++DekINrSped0128::DAA++0'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+14		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one identification	+Lager1'		Zugelassener Ort Lieu agréé Luogo autorizzato (an..35)
<b>3223</b> C an..25 Related place/location one identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+14++Lager1'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+22		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+CH001251'	N	Dienststellennummer tatsächliche Bestimmung Bureau de douane de destination effectif Ufficio doganale di destinazione effettivo (an8)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one identification		N	
<b>3223</b> C an..25 Related place/location one identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+22+CH001251'

Segment: 6 **DTM** Max. occ.: 15 Status: C Variant No.: 1  
 Name: Date/time/period

EDIFACT-Segment	Const.	S	Remarks
<b>DTM</b> <b>C507</b> M DATE/TIME/PERIOD <b>2005</b> M an..3 Date/time/period qualifier <b>2380</b> C an..35 Date/time/period  <b>2379</b> C an..3 Date/time/period format qualifier	DTM  +132  :20020527102 6'	       N	Vorgesehene Ankunft Vorgesehene Ankunft Vorgesehene Ankunft (Format: YYYYMMDDHHMI)

DTM+132:200205271026'

Segment: 7 **GIS** Max. occ.: 25 Status: C Variant No.: 1  
 Name: General indicator

EDIFACT-Segment	Const.	S	Remarks
<b>GIS</b> <b>C529</b> M PROCESSING INDICATOR <b>7365</b> M an..3 Processing indicator, coded	GIS  +0		Zollverschluesse Deklariert (Flag) Zollverschluesse Deklariert Zollverschluesse Deklariert (n1)
1131 C an..3 Code list qualifier <b>3055</b> C an..3 Code list responsible agency, coded	:63'	N	
<b>7187</b> C an..17 Process type identification		N	

GIS+0:63'

Segment: 7 **GIS** Max. occ.: 25 Status: C Variant No.: 1  
 Name: General indicator

EDIFACT-Segment	Const.	S	Remarks
<b>GIS</b>	GIS		
<b>C529</b> M PROCESSING INDICATOR			
<b>7365</b> M an..3 Processing indicator, coded	+0		Zollverschluesse Ok (Flag) Zollverschluesse Ok Zollverschluesse Ok (n1)
<b>1131</b> C an..3 Code list qualifier	:109'		
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>7187</b> C an..17 Process type identification		N	

GIS+0:109'

Segment: 11 **SEL** Max. occ.: 999 Status: C Variant No.: 1  
 Name: Seal number

EDIFACT-Segment	Const.	S	Remarks
<b>SEL</b> <b>9308</b> M an..10 SEAL NUMBER	SEL +0		
<b>C215</b> C SEAL ISSUER			
<b>9303</b> C an..3 Sealing party, coded	+	N	
<b>1131</b> C an..3 Code list qualifier	:	N	
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>9302</b> C an..35 Sealing party	:AZ400'		Zollverschluss-Zeichen Marques scellements douan. Marche chiusure doganali (an..20)
<b>4517</b> C an..3 SEAL CONDITION, CODED		N	

SEL+0+:::AZ400'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+ACB		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+	N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>4440</b> C an..70 Free text		N	
<b>3453</b> C an..3 LANGUAGE, CODED	+DE'		Sprachencode Bestimmung Code de langue pays de destination Codice di lingua paese di destinazione (a2)

FTX+ACB++++DE'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+AAI		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE			
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+VVV	N	Bemerkung Commentaire Bemerkung
<b>4440</b> C an..70 Free text	:WWW	N	(Total an..240) (an..70) (an..70)
<b>4440</b> C an..70 Free text	:XXX	N	(an..70)
<b>4440</b> C an..70 Free text	:YYY	N	(an..30)
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+AAI+++VVV:WWW:XXX:YYY:ZZZ'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+AAO		
Reference qualifier			
<b>1154</b> C an..35	+AnmeldNr.ZE.	N	Anmeldenummer Ze
Reference number	00036'		Anmeldenummer Ze
			Anmeldenummer Ze (an..35)
<b>1156</b> C an..6		N	
Line number			
<b>4000</b> C an..35		N	
Reference version number			

RFF+AAO:AnmeldNr.ZE.00036'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+ABE		
Reference qualifier			
<b>1154</b> C an..35	:Dossiernumm		Dossiernummer Spediteur
Reference number	erIE073'		No de dossier transitaire
			N. d'incarto spedizioniere (an..22)
<b>1156</b> C an..6		N	
Line number			
<b>4000</b> C an..35		N	
Reference version number			

RFF+ABE:DossiernummerIE073'

Segment group: **SG4** Max. occ.: 5 Status: C Variant No.: 1  
 TDT-TPL  
 Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
<b>TDT</b>	TDT		
<b>8051</b> M an..3 TRANSPORT STAGE QUALIFIER	+12		
<b>8028</b> C an..17 CONVEYANCE REFERENCE NUMBER	+	N	
<b>C220</b> C MODE OF TRANSPORT			
<b>8067</b> C an..3 Mode of transport, coded	+	N	
<b>8066</b> C an..17 Mode of transport		N	
<b>C228</b> C TRANSPORT MEANS			
<b>8179</b> C an..8 Type of means of transport identification	+	N	
<b>8178</b> C an..17 Type of means of transport		N	
<b>C040</b> C CARRIER			
<b>3127</b> C an..17 Carrier identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>3128</b> C an..35 Carrier name		N	
<b>8101</b> C an..3 TRANSIT DIRECTION, CODED	+	N	
<b>C401</b> C EXCESS TRANSPORTATION INFORMATION			
<b>8457</b> M an..3 Excess transportation reason, coded	+	N	
<b>8459</b> M an..3 Excess transportation responsibility, coded		N	
<b>7130</b> C an..17 Customer authorization number		N	
<b>C222</b> C TRANSPORT IDENTIFICATION			
<b>8213</b> C an..9 Id. of means of transport identification	+	N	
<b>1131</b> C an..3 Code list qualifier	:	N	

Segment: 18 TDT Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>8212</b> C an..35 Id. of the means of transport	:GLX-1234		Kennzeichen Beförderungsmittel Identité du moyen de transport Identità mezzo di trasporto (an..27)
<b>8453</b> C an..3 Nationality of means of transport, coded	:BE'		Beförderungsmittel-Staat Nationalité du moyen de transport Nationalità del mezzo di trasporto (a2)
<b>8281</b> C an..3 TRANSPORT OWNERSHIP, CODED		N	

TDT+12+++++:::GLX-1234:BE'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+FW		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+Sped'		Spediteurnummer No transitaire N. spedizioniere (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3164</b> C    an..35 CITY NAME			
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+FW+Sped'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+DT		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+1'		Deklarantennummer No déclarant N. dichiarante (n..3)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+DT+1'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+TD		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+CH177'		Zugelassener Empfänger Kennnummer (TIN) Désinataire agréé Destinatario autorizzato (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+TD+CH177'

Segment: 33 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M a1 SECTION IDENTIFICATION	UNS +D'		

UNS+D'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 93 **CST** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Customs status of goods

EDIFACT-Segment	Const.	S	Remarks
<b>CST</b> <b>1496</b> C n..5 GOODS ITEM NUMBER	CST +1		Positionsnummer No position No. Posizione (n..5)
<b>C246</b> C CUSTOMS IDENTITY CODES <b>7361</b> M an..18 Customs code identification	+10		Art Transitdokument Genre document de transit Genere documento di transito (n..2)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES <b>7361</b> M an..18 Customs code identification	+00NL0550000 0002162		Nummer Transitdokument No du document de transit No documento di tranisto (an..18)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C246</b> C CUSTOMS IDENTITY CODES <b>7361</b> M an..18 Customs code identification	+0		OZL OZL OZL (n1)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

Segment: 93 **CST** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Customs status of goods

<p><b>C246</b> C                  CUSTOMS IDENTITY CODES  <b>7361</b> M an..18                  Customs code identification</p> <p><b>1131</b> C an..3                  Code list qualifier</p> <p><b>3055</b> C an..3                  Code list responsible agency,                  coded</p> <p><b>C246</b> C                  CUSTOMS IDENTITY CODES  <b>7361</b> M an..18                  Customs code identification</p> <p><b>1131</b> C an..3                  Code list qualifier</p> <p><b>3055</b> C an..3                  Code list responsible agency,                  coded</p>	<p>+12</p> <p>+CH1801'</p>	<p>N</p> <p>N</p> <p>N</p> <p>N</p>	<p>Packstück insgesamt                  Total colis                  Totale colli (n..7)</p> <p>Abgangszollstelle                  Abgangszollstelle                  Abgangszollstelle (an8)</p>
---	----------------------------	-------------------------------------	---

CST+1+10+00NL0550000002162+0+12+CH1801'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+MKS		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE		N	
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list resp. agency,coded		N	
<b>C108</b> C TEXT LITERAL		N	
<b>4440</b> M an..70 Free text	+Dossier.Nr.00 001'	N	Dossiernummer Dossiernummer Dossiernummer (an..35)
<b>4440</b> C an..70 Free text			
<b>4440</b> C an..70 Free text			
<b>4440</b> C an..70 Free text			
<b>4440</b> C an..70 Free text			
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+MKS+++Dossier.Nr.00001'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+AAA		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE		N	
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list resp. agency,coded		N	
<b>C108</b> C TEXT LITERAL		N	
<b>4440</b> M an..70 Free text	+V//VV	N	Warenbezeichnung <b>(Total an..350)</b>
<b>4440</b> C an..70 Free text	:WWW	N	Warenbezeichnung (an..70)
<b>4440</b> C an..70 Free text	:XXX	N	Warenbezeichnung (an..70)
<b>4440</b> C an..70 Free text	:YYY	N	(an..70)
<b>4440</b> C an..70 Free text	:ZZZ'	N	(an..70)
<b>3453</b> C an..3 LANGUAGE, CODED		N	
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+AAA+++VVV:WWW:XXX:YYY:ZZZ'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1  
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44  
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1  
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
<b>MEA</b>	MEA		
<b>6311</b> M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
<b>C502</b> C MEASUREMENT DETAILS			
<b>6313</b> C an..3 Measurement dimension, coded	+AAB		
<b>6321</b> C an..3 Measurement significance, coded		N	
<b>6155</b> C an..17 Measurement attribute identification		N	
<b>6154</b> C an..70 Measurement attribute		N	
<b>C174</b> C VALUE/RANGE			
<b>6411</b> M an..3 Measure unit qualifier	+KGM		
<b>6314</b> C an..18 Measurement value	:10000'		Gesamtrohmasse Masse brute totale Massa lorda totale (n..11,3)
<b>6162</b> C n..18 Range minimum		N	
<b>6152</b> C n..18 Range maximum		N	
<b>6432</b> C n..2 Significant digits		N	
<b>7383</b> C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAB+KGM:10000'

Segment group: **SG31** Max. occ.: 99 Status: C Variant No.: 1  
 PAC-SG32  
 Segment: 100 **PAC** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package

EDIFACT-Segment	Const.	S	Remarks
<b>PAC</b> <b>7224</b> C n..8 NUMBER OF PACKAGES	PAC +0	N	Bereits im NCTS erfasst In NCTS In NCTS (n1)
<b>C531</b> C PACKAGING DETAILS <b>7075</b> C an..3 Packaging level, coded <b>7233</b> C an..3 Packaging related information, coded <b>7073</b> C an..3 Packaging terms and conditions, coded	+	N	
<b>C202</b> C PACKAGE TYPE <b>7065</b> C an..17 Type of packages identification <b>1131</b> C an..3 Code list qualifier <b>3055</b> C an..3 Code list responsible agency, coded <b>7064</b> C an..35 Type of packages	+	N	
<b>C402</b> C PACKAGE TYPE IDENTIFICATION <b>7077</b> M an..3 Item description type, coded <b>7064</b> M an..35 Type of packages  <b>7143</b> C an..3 Item number type, coded <b>7064</b> C an..35 Type of packages  <b>7143</b> C an..3 Item number type, coded	:FR  +F :Lille  : :1'	N  N  N  N	Ereignis Land Événement pays Evento paese (a2)  Ereignisort während der Beförderung (EwdB) Lieu de l'événement Luogo dal evento (an.. 35)  Ereignis: Neue Verschlussanzahl Événement: Nombre de nouveaux scellements Evento : Numero dei nuovi suggelli (n..4)
<b>C532</b> C RETURNABLE PACKAGE DETAILS <b>8395</b> C an..3 Returnable package freight payment responsibility, coded <b>8393</b> C an..3 Returnable package load contents, coded		N  N	

PAC+0+:::FR+F:Lille::1'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b> <b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED <b>C210</b> C MARKS & LABELS <b>7102</b> M an..35 Shipping marks	PCI +19		
<b>7102</b> C an..35 Shipping marks	+1		Ereignis-Vorfall: Vorfallcode (Flag) Événement : Code incident Evento-trasbordi: Codice avvenimento (n1)
<b>7102</b> C an..35 Shipping marks	:20050117		Ereignis-Vorfall: Datum Sichtvermerk Événement-Incident : Date d'attestation Evento-trasbordi-avvenimento: Data d'attestazione Format: YYYYMMDD
<b>7102</b> C an..35 Shipping marks	:Douane de la ville de Lille France		Ereignis-Vorfall: bescheinigende Behörde Événement-Incident : Autorité d'attestation Evento-trasbordi-avvenimento: Autorità d'attestazione (an..35)
<b>7102</b> C an..35 Shipping marks	:FR		Ereignis-Vorfall: Land Bescheinigung Événement-Incident : Pays d'attestation Evento-avvenimento: Paese d'attestazione (a2)
<b>7102</b> C an..35 Shipping marks	:Lille'		Ereignis-Vorfall: Ort der Bescheinigung Événement-Incident : Lieu d'attestation Evento-avvenimento: Luogo d'attestazione (an..35)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
<b>C827</b> C TYPE OF MARKING		N	
<b>7511</b> M an..3 Type of marking, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+19+1:20050117:Douane de la ville de Lille France:FR:Lille'

Segment group: **SG32** Max. occ.: 9999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 102 **FTX** Max. occ.: 1 Status: C Variant No.: 1  
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
<b>FTX</b>	FTX		
<b>4451</b> M an..3 TEXT SUBJECT QUALIFIER	+ABM		
<b>4453</b> C an..3 TEXT FUNCTION, CODED	+	N	
<b>C107</b> C TEXT REFERENCE		N	
<b>4441</b> M an..17 Free text identification	+	N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list resp. agency,coded		N	
<b>C108</b> C TEXT LITERAL			
<b>4440</b> M an..70 Free text	+AAA		Ereignis-Vorfall: Angaben zum Vorfall Evénement-Incident : Informations sur l'incident Evento-avvenimento: Informazioni avvenimento (Total an..350)
<b>4440</b> C an..70 Free text	:BBB		(an..70)
<b>4440</b> C an..70 Free text	:CCC		(an..70)
<b>4440</b> C an..70 Free text	:DDD		(an..70)
<b>4440</b> C an..70 Free text	:EEE'		(an..70)
<b>3453</b> C an..3 LANGUAGE, CODED		N	

FTX+ABM+1+1+AAA:BBB:CCC:DDD:EEE'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b> <b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED <b>C210</b> C MARKS & LABELS <b>7102</b> M an..35 Shipping marks	PCI +28  +GLX-1234		Ereignis-Umladungen: Kennzeichen neues Beförderungsmittel Événement-transbordement : Identité du nouveau moyen de transport Evento-trasbordi: Identità del nuovo mezzo di trasporto (an..27)
<b>7102</b> C an..35 Shipping marks	:BE		Ereignis-Umladungen: Staatszugehörigkeit neues Beförderungsmittel Événement-transbordement : Nationalité du nouveau moyen de transport Evento-trasbordi: Nationalità del nuovo mezzo di trasporto (a2)
<b>7102</b> C an..35 Shipping marks	:20050117		Ereignis-Umladungen: Datum Sichtvermerk Événement-transbordement : date du visa Evento-trasbordi: data visto Format: YYYYMMDD
<b>7102</b> C an..35 Shipping marks	:Douane de la ville de Lille France		Ereignis-Umladungen: bescheinigende Behörde Événement-transbordement : Autorité d'attestation Evento-trasbordi: Autorità d'attestazione (an..35)
<b>7102</b> C an..35 Shipping marks	:FR		Ereignis: Umladungen: Land der Bescheinigung Événement-transbordement : Pays d'attestation Evento-trasbordi: Paese del attestazione (a2)
<b>7102</b> C an..35 Shipping marks	:Lille'		Ereignis-Umladungen: Ort der Bescheinigung Événement-transbordement : Lieu de l'attestation Evento-trasbordi: Luogo del attestazione (an..35)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED <b>C827</b> C TYPE OF MARKING <b>7511</b> M an..3 Type of marking, coded <b>1131</b> C an..3 Code list qualifier <b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+28+GLX-1234:BE:20050117:Douane de la ville de Lille France:FR:Lille'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b> <b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED <b>C210</b> C MARKS & LABELS <b>7102</b> M an..35 Shipping marks	PCI +21  +CMBU100200 1'		Ereignis-Umladungen: neue Containernummer Evénement-transbord.: No du nouveau conteneur Evento-trasbordi: No del nuovo contenitore (an..17)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
<b>C827</b> C TYPE OF MARKING		N	
<b>7511</b> M an..3 Type of marking, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+21+CMBU1002001'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1  
 PCI-FTX  
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
<b>PCI</b>	PCI		
<b>4233</b> C an..3 MARKING INSTRUCTIONS, CODED	+29		
<b>C210</b> C MARKS & LABELS			
<b>7102</b> M an..35 Shipping marks	+AZ400'		Ereignis: neues Verschlusszeichen Evénement: nouveaux numéro de scellement Evento: nuovi no dei suggelli (an..20)
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>7102</b> C an..35 Shipping marks		N	
<b>8275</b> C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
<b>C827</b> C TYPE OF MARKING		N	
<b>7511</b> M an..3 Type of marking, coded		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	

PCI+29+AZ400'

Segment group: **SG35** Max. occ.: 999 Status: C Variant No.: 1  
 RFF  
 Segment: 106 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+IB		
Reference qualifier			
<b>1154</b> C an..35	:Einf.Nr.0001'	N	Einfuhrverzollungsnummer
Reference number			Einfuhrverzollungsnummer
<b>1156</b> C an..6		N	Einfuhrverzollungsnummer (an..35)
Line number			
<b>4000</b> C an..35		N	
Reference version number			

*RFF+IB:Einf.Nr.0001'*

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M a1 SECTION IDENTIFICATION	UNS +S'		

UNS+S'

Segment: 146 **CNT** Max. occ.: 5 Status: C Variant No.: 1  
 Name: Control total

EDIFACT-Segment	Const.	S	Remarks
<b>CNT</b>	CNT		
<b>C270</b> M			
CONTROL			
<b>6069</b> M an..3	+16		
Control qualifier			
<b>6066</b> M n..18	:1'		Anzahl Zollverschlüsse
Control value			Nombre de scellements
			Numero di suggelli (n..4)
<b>6411</b> C an..3		N	
Measure unit qualifier			

CNT+16:1'

Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNT</b> <b>0074</b> M n..6 NUMBER OF SEGMENTS IN A MESSAGE	UNT +31		
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+ch805a00000 001'		= UNH 0062

*UNT+31+ch805a00000001'*

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNZ</b> <b>0036</b> M n..6 INTERCHANGE CONTROL COUNT	UNZ +1		= UNB 0020
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+ch805a00000 001'		

*UNZ+1+ch805a00000001'*