

Segment: 1 UNB Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE HEADER

| EDIFACT-Segment  | Const.     | S | Remarks   |
|--|------------|---|---|
| <b>UNB</b>   | UNB        |   |   |
| <b>S001</b> M<br>SYNTAX IDENTIFIER                               |            |   |   |
| <b>0001</b> M a4<br>Syntax identifier                            | +UNOC      |   |   |
| <b>0002</b> M n1<br>Syntax version number                        | :3         |   |   |
| <b>S002</b> M<br>INTERCHANGE SENDER                              |            |   |   |
| <b>0004</b> M an..35<br>Sender identification                    | +820       |   | Spediteurnummer<br>No transitaire<br>N. spedizioniere |
| <b>0007</b> C an..4<br>Partner identification code<br>qualifier  |            | N |   |
| <b>0008</b> C an..14<br>Address for reverse routing              |            | N |   |
| <b>S003</b> M<br>INTERCHANGE RECIPIENT                           |            |   |   |
| <b>0010</b> M an..35<br>Recipient identification                 | +EZV       |   |   |
| <b>0007</b> C an..4<br>Partner identification code<br>qualifier  |            | N |   |
| <b>0014</b> C an..14<br>Routing address                          |            | N |   |
| <b>S004</b> M<br>DATE/TIME OF PREPARATION                        |            |   |   |
| <b>0017</b> M n6<br>Date of preparation                          | +001127    |   | Format: YYMMDD  |
| <b>0019</b> M n4<br>Time of preparation                          | :1713      |   | Format: HHMI  |
| <b>0020</b> M an..14<br>INTERCHANGE CONTROL<br>REFERENCE         | +tu0101022 |   | freie Wahl<br>choix libre<br>scelta libera            |
| <b>S005</b> C<br>RECIPIENT'S REFERENCE<br>PASSWORD               |            |   |   |
| <b>0022</b> M an..14<br>Recipient's reference/password           | +          | N |   |
| <b>0025</b> C an2<br>Recipient's reference/password<br>qualifier |            | N |   |
| <b>0026</b> C an..14<br>APPLICATION REFERENCE                    | +CH807A'   |   | Messagetype   |
| <b>0029</b> C a1<br>PROCESSING PRIORITY CODE                     |            | N |   |
| <b>0031</b> C n1<br>ACKNOWLEDGEMENT<br>REQUEST                   |            | N |   |
| <b>0032</b> C an..35<br>COMMUNICATIONS<br>AGREEMENT ID           |            | N |   |
| <b>0035</b> C n1<br>TEST INDICATOR                               |            | N |   |

UNB+UNOC:3+820+EZV+001127:1713+tu0101022++CH807A'

Segment: 2 UNH Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE HEADER

| EDIFACT-Segment  | Const.  | S | Remarks                                    |
|--|---------|---|--|
| <b>UNH</b>   | UNH     |   |  |
| <b>0062</b> M an..14<br>MESSAGE REFERENCE<br>NUMBER                    | +tu0233 |   | freie Wahl<br>choix libre<br>scelta libera |
| <b>S009</b> M<br>MESSAGE IDENTIFIER                                    |         |   |  |
| <b>0065</b> M an..6<br>Message type identifier                         | +CUSDEC |   |  |
| <b>0052</b> M an..3<br>Message type version number                     | :D      |   |  |
| <b>0054</b> M an..3<br>Message type release number                     | :96B    |   |  |
| <b>0051</b> M an..2<br>Controlling agency                              | :UN'    |   |  |
| <b>0057</b> C an..6<br>Association assigned code                       |         | N |  |
| <b>0068</b> C an..35<br>COMMON ACCESS<br>REFERENCE                     |         | N |  |
| <b>S010</b> C<br>STATUS OF THE TRANSFER                                |         |   |  |
| <b>0070</b> M n..2<br>Sequence message transfer<br>number              |         | N |  |
| <b>0073</b> C a1<br>First/last sequence message<br>transfer indication |         | N |  |

UNH+tu0233+CUSDEC:D:96B:UN'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Beginning of message

| EDIFACT-Segment   | Const.  | S | Remarks   |
|---|---------|---|---|
| <b>BGM</b>  | BGM     |   |   |
| <b>C002</b> C<br>DOCUMENT/MESSAGE NAME                        |         |   |   |
| <b>1001</b> C an..3<br>Document/message name,<br>coded        | +       | N |   |
| <b>1131</b> C an..3<br>Code list qualifier                    |         | N |   |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded |         | N |   |
| <b>1000</b> C an..35<br>Document/message name                 |         | N |   |
| <b>C106</b> C<br>DOCUMENT/MESSAGE<br>IDENTIFICATION           |         |   |   |
| <b>1004</b> C an..35<br>Document/message number               | +20999' |   | Deklarationsnummer Spediteur<br>No déclaration transitaire<br>N. dichiarazione spedizioniere (an..17) |
| <b>1056</b> C an..9<br>Version                                |         | N |   |
| <b>1060</b> C an..6<br>Revision number                        |         | N |   |
| <b>1225</b> C an..3<br>MESSAGE FUNCTION, CODED                |         | N |   |
| <b>4343</b> C an..3<br>RESPONSE TYPE, CODED                   |         | N |   |

BGM++20999'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

| EDIFACT-Segment  | Const.     | S | Remarks  |
|--|------------|---|--|
| <b>LOC</b>   | LOC        |   |  |
| <b>3227</b> M an..3<br>PLACE/LOCATION QUALIFIER                      | +118       |   |  |
| <b>C517</b> C<br>LOCATION IDENTIFICATION                             |            |   |  |
| <b>3225</b> C an..25<br>Place/location identification                | +CH001251' | N | Dienststellennummer Abgang<br>Bureau de douane de départ<br>Ufficio doganale di partenza (an8) |
| <b>1131</b> C an..3<br>Code list qualifier                           |            | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded        |            | N |  |
| <b>3224</b> C an..70<br>Place/location                               |            | N |  |
| <b>C519</b> C<br>RELATED LOCATION ONE<br>IDENTIFICATION              |            |   |  |
| <b>3223</b> C an..25<br>Related place/location one<br>identification |            | N |  |
| <b>1131</b> C an..3<br>Code list qualifier                           |            | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded        |            | N |  |
| <b>3222</b> C an..70<br>Related place/location one                   |            | N |  |
| <b>C553</b> C<br>RELATED LOCATION TWO<br>IDENTIFICATION              |            |   |  |
| <b>3233</b> C an..25<br>Related place/location two<br>identification |            | N |  |
| <b>1131</b> C an..3<br>Code list qualifier                           |            | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded        |            | N |  |
| <b>3232</b> C an..70<br>Related place/location two                   |            | N |  |
| <b>5479</b> C an..3<br>RELATION, CODED                               |            | N |  |

LOC+118+CH001251'

Segment: 12    **FTX**    Max. occ.: 99    Status: C    Variant No.: 1  
 Name: Free text

| EDIFACT-Segment   | Const. | S | Remarks  |
|---|--------|---|--|
| <b>FTX</b>  | FTX    |   |  |
| <b>4451</b> M an..3<br>TEXT SUBJECT QUALIFIER                 | +ACB   |   |  |
| <b>4453</b> C an..3<br>TEXT FUNCTION, CODED                   | +      | N |  |
| <b>C107</b> C<br>TEXT REFERENCE                               |        |   |  |
| <b>4441</b> M an..17<br>Free text identification              | +      | N |  |
| <b>1131</b> C an..3<br>Code list qualifier                    |        | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded |        | N |  |
| <b>C108</b> C<br>TEXT LITERAL                                 |        |   |  |
| <b>4440</b> M an..70<br>Free text                             | +      | N |  |
| <b>4440</b> C an..70<br>Free text                             |        | N |  |
| <b>4440</b> C an..70<br>Free text                             |        | N |  |
| <b>4440</b> C an..70<br>Free text                             |        | N |  |
| <b>4440</b> C an..70<br>Free text                             |        | N |  |
| <b>3453</b> C an..3<br>LANGUAGE, CODED                        | +DE'   |   | Sprachencode Abgangsland<br>Code de langue pays de départ<br>Codice di lingua paese di partenza (a2) |

FTX+ACB++++DE'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Free text

| EDIFACT-Segment   | Const.                  | S | Remarks   |
|---|-------------------------|---|---|
| <b>FTX</b>  | FTX                     |   |   |
| <b>4451</b> M an..3<br>TEXT SUBJECT QUALIFIER                 | +ACD                    |   |   |
| <b>4453</b> C an..3<br>TEXT FUNCTION, CODED                   | +                       | N |   |
| <b>C107</b> C<br>TEXT REFERENCE                               |                         |   |   |
| <b>4441</b> M an..17<br>Free text identification              | +0                      |   | Annulationcode<br>Code d’annulation<br>Codice di annullamento (n1)                        |
| <b>1131</b> C an..3<br>Code list qualifier                    |                         | N |   |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded |                         | N |   |
| <b>C108</b> C<br>TEXT LITERAL                                 |                         |   |   |
| <b>4440</b> M an..70<br>Free text                             | +Annulations-<br>grund’ |   | Annulationsgrund<br>Motif de l’annulation (Total an..250)<br>Motivo annullamento (an..70) |
| <b>4440</b> C an..70<br>Free text                             |                         |   | .. (an..70)   |
| <b>4440</b> C an..70<br>Free text                             |                         |   | .. (an..70)   |
| <b>4440</b> C an..70<br>Free text                             |                         |   | .. (an..40)   |
| <b>4440</b> C an..70<br>Free text                             |                         | N |   |
| <b>3453</b> C an..3<br>LANGUAGE, CODED                        |                         | N |   |

*FTX+ACD++0+Annulationsgrund’*

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

| EDIFACT-Segment          | Const.       | S | Remarks   |
|--------------------------|--------------|---|---|
| <b>RFF</b>               | RFF          |   |   |
| <b>C506</b> M            |              |   |   |
| REFERENCE                |              |   |   |
| <b>1153</b> M an..3      | +ABT         |   |   |
| Reference qualifier      |              |   |   |
| <b>1154</b> C an..35     | :1000001002' |   | Deklarationsnummerzoll<br>No déclaration douane<br>N. dichiarazione dogana (an..21) |
| Reference number         |              |   |   |
| <b>1156</b> C an..6      |              | N |   |
| Line number              |              |   |   |
| <b>4000</b> C an..35     |              | N |   |
| Reference version number |              |   |   |

RFF+ABT: 1000001002'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

| EDIFACT-Segment   | Const. | S | Remarks  |
|---|--------|---|--|
| <b>NAD</b>  | NAD    |   |  |
| <b>3035</b> M an..3<br>PARTY QUALIFIER                        | +FW    |   |  |
| <b>C082</b> C<br>PARTY IDENTIFICATION<br>DETAILS              |        |   |  |
| <b>3039</b> M an..35<br>Party id. identification              | +820'  |   | Spediteurnummer<br>No transitaire<br>N. spedizioniere (an..17) |
| <b>1131</b> C an..3<br>Code list qualifier                    |        | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded |        | N |  |
| <b>C058</b> C<br>NAME AND ADDRESS                             |        |   |  |
| <b>3124</b> M an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>C080</b> C<br>PARTY NAME                                   |        |   |  |
| <b>3036</b> M an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3045</b> C an..3<br>Party name format, coded               |        | N |  |
| <b>C059</b> C<br>STREET                                       |        |   |  |
| <b>3042</b> M an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |



Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

| EDIFACT-Segment  | Const. | S | Remarks |
|--|--------|---|---------|
| <b>3164</b> C    an..35<br>CITY NAME                           |        | N |         |
| <b>3229</b> C    an..9<br>COUNTRY SUB-ENTITY<br>IDENTIFICATION |        | N |         |
| <b>3251</b> C    an..9<br>POSTCODE IDENTIFICATION              |        | N |         |
| <b>3207</b> C    an..3<br>COUNTRY, CODED                       |        | N |         |

NAD+FW+820'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

| EDIFACT-Segment   | Const. | S | Remarks  |
|---|--------|---|--|
| <b>NAD</b>  | NAD    |   |  |
| <b>3035</b> M an..3<br>PARTY QUALIFIER                        | +DT    |   |  |
| <b>C082</b> C<br>PARTY IDENTIFICATION<br>DETAILS              |        |   |  |
| <b>3039</b> M an..35<br>Party id. identification              | +1'    |   | Deklarantennummer<br>No déclarant<br>N. dichiarante (n..3) |
| <b>1131</b> C an..3<br>Code list qualifier                    |        | N |  |
| <b>3055</b> C an..3<br>Code list responsible agency,<br>coded |        | N |  |
| <b>C058</b> C<br>NAME AND ADDRESS                             |        |   |  |
| <b>3124</b> M an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>3124</b> C an..35<br>Name and address line                 |        | N |  |
| <b>C080</b> C<br>PARTY NAME                                   |        |   |  |
| <b>3036</b> M an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3036</b> C an..35<br>Party name                            |        | N |  |
| <b>3045</b> C an..3<br>Party name format, coded               |        | N |  |
| <b>C059</b> C<br>STREET                                       |        |   |  |
| <b>3042</b> M an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3042</b> C an..35<br>Street and number/p.o. box            |        | N |  |
| <b>3164</b> C an..35<br>CITY NAME                             |        | N |  |

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

| EDIFACT-Segment  | Const. | S | Remarks |
|--|--------|---|---------|
| <b>3229</b> C    an..9<br>COUNTRY SUB-ENTITY<br>IDENTIFICATION |        | N |         |
| <b>3251</b> C    an..9<br>POSTCODE IDENTIFICATION              |        | N |         |
| <b>3207</b> C    an..3<br>COUNTRY, CODED                       |        | N |         |

NAD+DT+1'

Segment: 33 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

| EDIFACT-Segment  | Const.     | S | Remarks |
|--|------------|---|---------|
| <b>UNS</b><br><b>0081</b> M a1<br>SECTION IDENTIFICATION | UNS<br>+D' |   |         |

*UNS+D'*

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

| EDIFACT-Segment  | Const.     | S | Remarks |
|--|------------|---|---------|
| <b>UNS</b><br><b>0081</b> M a1<br>SECTION IDENTIFICATION | UNS<br>+S' |   |         |

UNS+S'

Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE TRAILER

| EDIFACT-Segment  | Const.     | S | Remarks    |
|--|------------|---|------------|
| <b>UNT</b><br><b>0074</b> M n..6<br>NUMBER OF SEGMENTS IN A<br>MESSAGE | UNT<br>+11 |   |            |
| <b>0062</b> M an..14<br>MESSAGE REFERENCE<br>NUMBER                    | + tu0233'  |   | = UNH 0062 |

*UNT+11+ tu0233'*

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE TRAILER

| EDIFACT-Segment  | Const.                        | S | Remarks    |
|--|-------------------------------|---|------------|
| <b>UNZ</b><br><b>0036</b> M n..6<br>INTERCHANGE CONTROL<br>COUNT<br><b>0020</b> M an..14<br>INTERCHANGE CONTROL<br>REFERENCE | UNZ<br>+1<br><br>+ tu0101022' |   | = UNB 0020 |

*UNZ+1+ tu0101022'*