

Segment: 1 UNB Max. occ.: 1 Status: M Variant No.: 1
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
UNB	UNB		
S001 M SYNTAX IDENTIFIER			
0001 M a4 Syntax identifier	+UNOC		
0002 M n1 Syntax version number	:3		
S002 M INTERCHANGE SENDER			
0004 M an..35 Sender identification	+EZV		
0007 C an..4 Partner identification code qualifier		N	
0008 C an..14 Address for reverse routing		N	
S003 M INTERCHANGE RECIPIENT			
0010 M an..35 Recipient identification	+820		Spediteurnummer No transitaire N. spedizioniere (an..17)
0007 C an..4 Partner identification code qualifier		N	
0014 C an..14 Routing address		N	
S004 M DATE/TIME OF PREPARATION			
0017 M n6 Date of preparation	+060327		Format: YYMMDD
0019 M n4 Time of preparation	:1713		Format: HHMI
0020 M an..14 INTERCHANGE CONTROL REFERENCE	+ch804c00000 001		freie Wahl choix libre scelta libera
S005 C RECIPIENT'S REFERENCE PASSWORD			
0022 M an..14 Recipient's reference/password	+	N	
0025 C an2 Recipient's reference/password qualifier		N	
0026 C an..14 APPLICATION REFERENCE	+CH804C'		Messagetype
0029 C a1 PROCESSING PRIORITY CODE		N	
0031 C n1 ACKNOWLEDGEMENT REQUEST		N	
0032 C an..35 COMMUNICATIONS AGREEMENT ID		N	
0035 C n1 TEST INDICATOR		N	

UNB+UNOC:3+820+NTA.CH+060327:1713+ch804c00000001++CH804C'

Segment: 2 **UNH** Max. occ.: 1 Status: M Variant No.: 1
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
UNH	UNH		
0062 M an..14 MESSAGE REFERENCE NUMBER	+ch804c00000 001		freie Wahl choix libre scelta libera
S009 M MESSAGE IDENTIFIER			
0065 M an..6 Message type identifier	+CUSDEC		
0052 M an..3 Message type version number	:D		
0054 M an..3 Message type release number	:96B		
0051 M an..2 Controlling agency	:UN		
0057 C an..6 Association assigned code	:CH804C'		Msgasetype
0068 C an..35 COMMON ACCESS REFERENCE		N	
S010 C STATUS OF THE TRANSFER			
0070 M n..2 Sequence message transfer number		N	
0073 C a1 First/last sequence message transfer indication		N	

UNH+ch804c00000001+CUSDEC:D:96B:UN :CH804C'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
BGM	BGM		
C002 C DOCUMENT/MESSAGE NAME			
1001 C an..3 Document/message name, coded	+	N	
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, Coded	:	N	
1000 C an..35 Document/message name	:06DE3607005 18455M0		MRN (an18)
C106 C DOCUMENT/MESSAGE IDENTIFICATION			
1004 C an..35 Document/message number	+DekINrSped0 128'		Deklarationsnummer Spediteur No déclaration transitaire N. dichiarazione spedizioniere (an..17)
1056 C an..9 Version	:T2'		T-Status Statut T Stato T (an..5)
1060 C an..6 Revision number		N	
1225 C an..3 MESSAGE FUNCTION, CODED		N	
4343 C an..3 RESPONSE TYPE, CODED		N	

BGM+:::06DE360700518455M0+DekINrSped0128:T2'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+35		
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+CH'	N	Ausfuhrland Pays d'exportation Paese d'esportazione (a2)
3225 C an..25 Place/location identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+35+DE'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+36		
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+DE'	N	Bestimmungsland Pays de destination Paese di destinazione (a2)
3225 C an..25 Place/location identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+36+CH'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+45		
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+CH001251'	N	Dienststellennummer Bestimmung Bureau de douane de destination Ufficio doganale di destinazione (an8)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+45+CH001251'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+118		
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+DE001005'	N	Dienststellennummer Abgang Bureau de douane de départ Ufficio doganale di partenza (an8)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+118+DE001005'

Segment: 6 **DTM** Max. occ.: 15 Status: C Variant No.: 1
 Name: Date/time/period

EDIFACT-Segment	Const.	S	Remarks
DTM	DTM		
C507 M			
DATE/TIME/PERIOD			
2005 M an..3	+261		
Date/time/period qualifier			
2380 C an..35	:20060327171		Annahmedatum und –zeit
Date/time/period	9'		Date et heure d'acceptation
			Data e ora dell'accettazione
			(Format: YYYYMMDDHHMI)
2379 C an..3		N	
Date/time/period format qualifier			

DTM+261:200603271719'

Segment: 6 **DTM** Max. occ.: 15 Status: C Variant No.: 1
 Name: Date/time/period

EDIFACT-Segment	Const.	S	Remarks
DTM	DTM		
C507 M			
DATE/TIME/PERIOD			
2005 M an..3	+182		
Date/time/period qualifier			
2380 C an..35	:20060325'		Datum Ausstellung AAR
Date/time/period			Date création AAR
			Data di creazione AAR (n8)
2379 C an..3		N	
Date/time/period format qualifier			

DTM+182:20060325'

Segment: 6 **DTM** Max. occ.: 15 Status: C Variant No.: 1
 Name: Date/time/period

EDIFACT-Segment	Const.	S	Remarks
DTM C507 M DATE/TIME/PERIOD 2005 M an..3 Date/time/period qualifier 2380 C an..35 Date/time/period 2379 C an..3 Date/time/period format qualifier	DTM +268 : 20060331'	 N	Transitfrist Délai de transit Termine limite (Format: YYYYMMDD) (n8)

DTM+268:20060331'

Segment: 7 **GIS** Max. occ.: 25 Status: C Variant No.: 1
 Name: General indicator

EDIFACT-Segment	Const.	S	Remarks
GIS	GIS		
C529 M PROCESSING INDICATOR			
7365 M an..3 Processing indicator, coded	+0		Container (Flag) Container Container (n1)
1131 C an..3 Code list qualifier	:109'		
3055 C an..3 Code list responsible agency, coded		N	
7187 C an..17 Process type identification		N	

GIS+0:109'

Segment: 9 **MEA** Max. occ.: 5 Status: C Variant No.: 1
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
MEA	MEA		
6311 M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
C502 C MEASUREMENT DETAILS			
6313 C an..3 Measurement dimension, coded	+AAD		
6321 C an..3 Measurement significance, coded		N	
6155 C an..17 Measurement attribute identification		N	
6154 C an..70 Measurement attribute		N	
C174 C VALUE/RANGE			
6411 M an..3 Measure unit qualifier	+KGM		
6314 C an..18 Measurement value	:1000'		Gesamtrohmasse Masse brute totale Massa lorda totale (n..11,3)
6162 C n..18 Range minimum		N	
6152 C n..18 Range maximum		N	
6432 C n..2 Significant digits		N	
7383 C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAD+KGM:1000'

Segment: 11 **SEL** Max. occ.: 999 Status: C Variant No.: 1
 Name: Seal number

EDIFACT-Segment	Const.	S	Remarks
SEL 9308 M an..10 SEAL NUMBER	SEL +0		
C215 C SEAL ISSUER			
9303 C an..3 Sealing party, coded	+	N	
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, coded	:	N	
9302 C an..35 Sealing party	:Zzeichen'		Zollverschluss-Zeichen Marques scellements douan. Marche chiusure doganali (an..20)
4517 C an..3 SEAL CONDITION, CODED			

SEL+0+:::ZVzeichen'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+ADO		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+0'	N	Kontrollergebniscode Code de résultat du contrôle Codice del risultato del controllo (a2)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED		N	

FTX+ADO++0'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+ALL		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+	N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text	+	N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED	+DE'		Sprache NCTS-Versand-Begleitdokument Langue Document de transit NCTS Lingua Documento transito NCTS (a2)

FTX+ALL++++DE'

Segment group: **SG4** Max. occ.: 5 Status: C Variant No.: 1
 TDT-TPL
 Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1
 Name: Details of transport

EDIFACT-Segment	Const.	S	Remarks
TDT	TDT		
8051 M an..3 TRANSPORT STAGE QUALIFIER	+12		
8028 C an..17 CONVEYANCE REFERENCE NUMBER	+	N	
C220 C MODE OF TRANSPORT			
8067 C an..3 Mode of transport, coded	+	N	
8066 C an..17 Mode of transport		N	
C228 C TRANSPORT MEANS			
8179 C an..8 Type of means of transport identification	+	N	
8178 C an..17 Type of means of transport		N	
C040 C CARRIER			
3127 C an..17 Carrier identification	+	N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3128 C an..35 Carrier name		N	
8101 C an..3 TRANSIT DIRECTION, CODED	+	N	
C401 C EXCESS TRANSPORTATION INFORMATION			
8457 M an..3 Excess transportation reason, coded	+	N	
8459 M an..3 Excess transportation responsibility, coded		N	
7130 C an..17 Customer authorization number		N	
C222 C TRANSPORT IDENTIFICATION			
8213 C an..9 Id. of means of transport identification	+	N	
1131 C an..3 Code list qualifier	:	N	

Segment: 18 **TDT** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3055 C an..3 Code list responsible agency, coded	:	N	
8212 C an..35 Id. of the means of transport	:HH 125-467		Kennzeichen Beförderungsmittel Identité du moyen de transport Identità mezzo di trasporto (an..27)
8453 C an..3 Nationality of means of transport, coded	:DE'		Beförderungsmittelstaat Nationalité du moyen de transport Nationalità del mezzo di trasporto (a2)
8281 C an..3 TRANSPORT OWNERSHIP, CODED		N	

TDT+12+++++:::HH 125-467:DE'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+AF		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+CH1007		Hauptverpflichteter-Nummer (TIN) No principal obligé N. obligato principale (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line	+	N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name	+Jolly		Name – Nom – Nome (an..35)
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+		
3251 C an..9 POSTCODE IDENTIFICATION	+3000		PLZ NP NP (an..9)
3207 C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

NAD+AF+CH1007++Jollyr+Daltstr. 23+Bern++3000+CH'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+CN		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+		Kennnummer Empfänger (TIN) No destinataire N. destinatario (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line	+	N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name	+Jolly		Name – Nom – Nome (an..35)
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME	+Bern		Stadt (Ort) Lieu Città (an..35)

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+CZ		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+		Kennnummer Versender/Ausführer (TIN) No. nom de l'expéditeur/exportateur No. nome emittente (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line	+	N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name	+JollyJumper		Name der Versender/Ausführer Nom de l'expéditeur/exportateur Nome emittente (an..35)
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box	+Daltstr. 23		Strasse und Hausnummer Rue et no Via e n. (an..35)
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME	+Bern		Stadt (Ort) – Lieu - Città (an..35)

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+FW		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+820'		Spediteurnummer No transitaire N. spedizioniere (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3164 C an..35 CITY NAME			
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
3251 C an..9 POSTCODE IDENTIFICATION		N	
3207 C an..3 COUNTRY, CODED		N	

NAD+FW+820'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+TD		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+CH1234'		Kennnummer ZE No d'identification Da No. identificazione DA (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME		N	

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
3251 C an..9 POSTCODE IDENTIFICATION		N	
3207 C an..3 COUNTRY, CODED		N	

NAD+TD+CH1234'

Segment: 33 **UNS** Max. occ.: 1 Status: M Variant No.: 1
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
UNS 0081 M a1 SECTION IDENTIFICATION	UNS +D'		

UNS+D'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 93 **CST** Max. occ.: 1 Status: M Variant No.: 1
 Name: Customs status of goods

EDIFACT-Segment	Const.	S	Remarks
CST 1496 C n..5 GOODS ITEM NUMBER	CST +1		Positionsnummer No position No. posizione (n..5)
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification	+010110		Warennummer (Tarif-Nr) No. de tarif Voce doganale (an..10)
1131 C an..3 Code list qualifier	:169		
3055 C an..3 Code list responsible agency, coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification	+T2		T-Status Statut T Stato T (an..5)
1131 C an..3 Code list qualifier	:109'		
3055 C an..3 Code list responsible agency, coded		N	

CST+1+010110:169++++T2:109'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+AAA		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+	N	
1131 C an..3 Code list qualifier			
3055 C an..3 Code list responsible agency, coded			
C108 C TEXT LITERAL			
4440 M an..70 Free text	+Bezeichnung der Ware – description de la marchandise – descrizione del		Warenbezeichnung Désignation des marchandises Designazione merce (Total an..140)
4440 C an..70 Free text	:la merca'	...	(an..70) (an..70)
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED			

FTX+AAA+++Warenbezeichnung – description de la marchandise – descrizione del:la merca'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 95 **LOC** Max. occ.: 25 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+35		nur nötig wenn keine Angabe b. Header
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+CH'		Ausfuhrland Pays d'exportation Paese d'esportazione (a2)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+35+CH'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 95 **LOC** Max. occ.: 25 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	+36		nur nötig wenn keine Angabe b. Header
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+DE'		Bestimmungsland Pays de destination Paese di destinazione (a2)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+36+DE'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
MEA	MEA		
6311 M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
C502 C MEASUREMENT DETAILS			
6313 C an..3 Measurement dimension, coded	+AAB		
6321 C an..3 Measurement significance, coded		N	
6155 C an..17 Measurement attribute identification		N	
6154 C an..70 Measurement attribute		N	
C174 C VALUE/RANGE			
6411 M an..3 Measure unit qualifier	+KGM		
6314 C an..18 Measurement value	:1000'		Rohmasse Masse brute Massa lorda (n..11,3)
6162 C n..18 Range minimum		N	
6152 C n..18 Range maximum		N	
6432 C n..2 Significant digits		N	
7383 C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAB+KGM:1000'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
MEA	MEA		
6311 M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
C502 C MEASUREMENT DETAILS			
6313 C an..3 Measurement dimension, coded	+AAA		
6321 C an..3 Measurement significance, coded		N	
6155 C an..17 Measurement attribute identification		N	
6154 C an..70 Measurement attribute		N	
C174 C VALUE/RANGE			
6411 M an..3 Measure unit qualifier	+KGM		
6314 C an..18 Measurement value	:1000'		Eigenmasse Masse nette Massa netta (n..11,3)
6162 C n..18 Range minimum		N	
6152 C n..18 Range maximum		N	
6432 C n..2 Significant digits		N	
7383 C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAA+KGM:990'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 98 **NAD** Max. occ.: 5 Status: C Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+CN		nur wenn Header nicht vorhanden
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+		Kennummer Empfänger (TIN) No destinataire N. destinatario (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line	+	N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name	+EmpfName		Name – Nom – Nome (an..35)
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box	+EmpfStreet2		Strasse und Nr Rue et no Strada e n. (an..35)
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME	+EmpfStadt		Stadt – Lieu – Orte (an..35)

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 98 **NAD** Max. occ.: 5 Status: C Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+CZ		nur wenn Header nicht vorhanden
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+		Kennummer Versender/Ausführer (TIN) No. nom de l'expéditeur/exportateur No. nome emittente (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line	+	N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name	+VersName		Name – Nom – Nome (an..35)
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box	+VersStreet2		Strasse und Nr Rue et no Strada e n. (an..35)
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME	+VersStadt		Stadt – Lieu – Orte (an..35)

Segment: 98 **NAD** Max. occ.: 5 Status: C Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION	+		
3251 C an..9 POSTCODE IDENTIFICATION	+PLZ		PLZ NP NP (an..9)
3207 C an..3 COUNTRY, CODED	+CH'		Land Pays Paese (a2)

NAD+CZ+++VersName+VersStreet+VersStadt++PLZ+CH'

Segment group: **SG31** Max. occ.: 99 Status: C Variant No.: 1
 PAC-SG32
 Segment: 100 **PAC** Max. occ.: 1 Status: M Variant No.: 1
 Name: Package

EDIFACT-Segment	Const.	S	Remarks
PAC 7224 C n..8 NUMBER OF PACKAGES	PAC +100		Anzahl Packstücke Nombre de colis Numero dei colli (n..5)
C531 C PACKAGING DETAILS			
7075 C an..3 Packaging level, coded	+	N	
7233 C an..3 Packaging related information, coded		N	
7073 C an..3 Packaging terms and conditions, coded		N	
C202 C PACKAGE TYPE			
7065 C an..17 Type of packages identification	+CT		Verpackungscode Code d'emballage Codice d'imballaggio (an..3)
1131 C an..3 Code list qualifier	:		
3055 C an..3 Code list responsible agency, coded	:	N	
7064 C an..35 Type of packages	:6'		Stückzahl Nombre de pièces No. pezzi (n..5)
C402 C PACKAGE TYPE IDENTIFICATION			
7077 M an..3 Item description type, coded		N	
7064 M an..35 Type of packages		N	
7143 C an..3 Item number type, coded		N	
7064 C an..35 Type of packages		N	
7143 C an..3 Item number type, coded		N	
C532 C RETURNABLE PACKAGE DETAILS			
8395 C an..3 Returnable package freight payment responsibility, coded		N	
8393 C an..3 Returnable package load contents, coded		N	

PAC+100++CT:::6'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1
 -FTX
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
PCI	PCI		
4233 C an..3 MARKING INSTRUCTIONS, CODED	+28		
C210 C MARKS & LABELS			
7102 M an..35 Shipping marks	+Zeichen (Nummer) Packstuecke 12345		Zeichen (Nummer) Packstücke No emballage (Total an..42) Imballaggio no. (an..35)
7102 C an..35 Shipping marks	:ABCDEFGF		Zeichen (Nummer) Packstücke No emballage Imballaggio no. (an..7)
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
8275 C an..3 CONTAINER/PACKAGE STATUS, CODED			
C827 C TYPE OF MARKING		N	
7511 M an..3 Type of marking, coded		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	

PCI
 +28+Zeichen (Nummer) Packstuecke 12345:ABCDEFGF'

Segment group: **SG35** Max. occ.: 999 Status: C Variant No.: 1
 RFF-DTM-GIN-MOA-SG36
 Segment: 106 **RFF** Max. occ.: 1 Status: M Variant No.: 1
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
RFF	RFF		
C506 M			
REFERENCE			
1153 M an..3	+AAQ		
Reference qualifier			
1154 C an..35	:CTN1234-		Container Nummer
Reference number	5678'		No container
			N. container (an..17)
1156 C an..6		N	
Line number			
4000 C an..35		N	
Reference version number			

RFF+AAQ:CTN1234-5678'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1
 DOC-DTM-LOC-NAD
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
DOC	DOC		
C002 M			
DOCUMENT/MESSAGE NAME			
1001 C an..3	+190		
Document/message name, coded			
1131 C an..3	:	N	
Code list qualifier			
3055 C an..3	:	N	
Code list responsible agency, coded			
1000 C an..35	:T2		Art Vorpapier Genre de document précédent Genere doc. precedente (an..6)
Document/message name			
C503 C			
DOCUMENT/MESSAGE DETAILS			
1004 C an..35	+Zeichen und Nummer		Zeichen (Nummer) Vorpapier Numérotation des doc. précédents Doc. precedente no. (an..20)
Document/message number			
1373 C an..3	:		
Document/message status, coded			
1366 C an..35	:Zusaetzliche Angaben		Zusätzliche Angaben Indications supplémentaires Indicazioni supplementari (an..26)
Document/message source			
3453 C an..3			
Language, coded			
3153 C an..3		N	
COMMUNICATION CHANNEL IDENTIFIER, CODED			
1220 C n..2		N	
NUMBER OF COPIES OF DOCUMENT REQUIRED			
1218 C n..2		N	
NUMBER OF ORIGINALS OF DOCUMENT REQUIRED			

DOC+190:::T2+Zeichen und Nummer::Zusaetzliche Angaben'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1
 DOC-DTM-LOC-NAD
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
DOC	DOC		
C002 M DOCUMENT/MESSAGE NAME			
1001 C an..3 Document/message name, coded	+916		
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, coded	:	N	
1000 C an..35 Document/message name	:123		Art Unterlage-Code Genre de code de documents Genere codice documenti (an..4)
C503 C DOCUMENT/MESSAGE DETAILS			
1004 C an..35 Document/message number	+Zeichen und Nummer		Zeichen (Nummer) Unterlage Numérotation des dossiers Documento no. (an..35)
1373 C an..3 Document/message status, coded	:		
1366 C an..35 Document/message source	:Zusaetzliche Angaben		Zusätzliche Angaben Indications supplémentaires Indicazioni supplementari (an..26)
3453 C an..3 Language, coded			
3153 C an..3 COMMUNICATION CHANNEL IDENTIFIER, CODED		N	
1220 C n..2 NUMBER OF COPIES OF DOCUMENT REQUIRED		N	
1218 C n..2 NUMBER OF ORIGINALS OF DOCUMENT REQUIRED		N	

DOC+916:::123+Zeichen und Nummer::Zusaetzliche Angaben'

Segment group: **SG38** Max. occ.: 1 Status: C Variant No.: 1
 TOD-LOC-FTX
 Segment: 116 **TOD** Max. occ.: 99 Status: M Variant No.: 1
 Name: Terms of delivery or transport

EDIFACT-Segment	Const.	S	Remarks
TOD	TOD		
4055 C an..3 TERMS OF DELIVERY OR TRANSPORT FUNCTION, CODED	+2		
4215 C an..3 TRANSPORT CHARGES METHOD OF PAYMENT, CODED	+	N	
C100 C TERMS OF DELIVERY OR TRANSPORT			
4053 C an..3 Terms of delivery or transport, coded	+		Ausfuhr aus EG (Flag) Exportation de la CE Esport dalla CE (n1)
1131 C an..3 Code list qualifier	:CH'		Ausfuhr aus „Land“ Exportation du „pays“ Export da „paese“ (a2)
3055 C an..3 Code list responsible agency, coded		N	
4052 C an..70 Terms of delivery or transport		N	
4052 C an..70 Terms of delivery or transport		N	

TOD+2++0:CH'

Segment group: **SG38** Max. occ.: 1 Status: C Variant No.: 1
 TOD-LOC-FTX
 Segment: 118 **FTX** Max. occ.: 99 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+ACB		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+123'		Zusätzliche Angaben-Code Code des indications supplémentaires Codice degli indicazioni suppl. (an..5)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED		N	

FTX+ACB++DGO'

Segment group: **SG44** Max. occ.: 50 Status: C Variant No.: 1
 GIR-GIS-NAD-MEA-SG45-SG47-SG48
 Segment: 132 **GIR** Max. occ.: 1 Status: M Variant No.: 1
 Name: Related identification numbers

EDIFACT-Segment	Const.	S	Remarks
GIR	GIR		
7297 M an..3 SET IDENTIFICATION QUALIFIER	+3		
C206 M IDENTIFICATION NUMBER			
7402 M an..35 Identity number	+50.245		Empfindliche Menge Quantité sensible Quantità sensibile (n..11,3)
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number	+1'		Code Empfindliche Menge Code quantité sensible Codice quantità sensibile (n..2)
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	

GIR+3+50.245+1'

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
UNS 0081 M a1 SECTION IDENTIFICATION	UNS +S'		

UNS+S'

Segment: 146 **CNT** Max. occ.: 5 Status: C Variant No.: 1
 Name: Control total

EDIFACT-Segment	Const.	S	Remarks
CNT	CNT		
C270 M			
CONTROL			
6069 M an..3	+5		
Control qualifier			
6066 M n..18	:1'		Positionen insgesamt
Control value			Nbr de positions
			Numero di (n..4)
6411 C an..3			
Measure unit qualifier			

CNT+5:1'

Segment: 146 **CNT** Max. occ.: 5 Status: C Variant No.: 1
 Name: Control total

EDIFACT-Segment	Const.	S	Remarks
CNT	CNT		
C270 M			
CONTROL			
6069 M an..3	+11		
Control qualifier			
6066 M n..18	:100'		Packstücke insgesamt
Control value			Nbr d'emballages
			Quantità di (n..7)
6411 C an..3			
Measure unit qualifier			

CNT+11:100''

Segment: 146 **CNT** Max. occ.: 5 Status: C Variant No.: 1
 Name: Control total

EDIFACT-Segment	Const.	S	Remarks
CNT	CNT		
C270 M			
CONTROL			
6069 M an..3	+16		
Control qualifier			
6066 M n..18	:1'		Anzahl Zollverschlüsse
Control value			Nbr de plombs
			Quantità di piombi (n..7)
6411 C an..3			
Measure unit qualifier			

CNT+16:0'

Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
UNT 0074 M n..6 NUMBER OF SEGMENTS IN A MESSAGE	UNT +44		= UNH 0062
0062 M an..14 MESSAGE REFERENCE NUMBER	+ch804c00000 001'		

UNT+44+ch804c00000001'

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1
 Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
UNZ 0036 M n..6 INTERCHANGE CONTROL COUNT	UNZ +1		
0020 M an..14 INTERCHANGE CONTROL REFERENCE	+ch804c00000 001'		= UNB 0020

UNZ+1+ch804c00000001'